Обжимные аппараты

Технические характеристики

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

сайт: www.fitlok.nt-rt.ru || почта: hky@nt-rt.ru

EZY-SAW ES250

Applications

Features
Prevent work hardening the tube
end Assure a square cut on the
tubing Coolant pump

Specifications
Cutting ability : Max O.D 80 mm
Power Supply : 220V 50/60Hz Saw
Blade : HSS - Φ250 x 32 x 2t
Weight : 70 Kg

EZY-GRAT EG642

Applications

Features
Enable to clean the inner & outer tube
quickly Long tool life can be guaranteed
Easy change to inner and outer tool

Specifications
Deburring ability : Max O.D 2in.(42mm)
Power Supply : 220V 50/60Hz
Weight : 30 Kg

EZY-Bender OK070

Applications

Features
High speed bending, 90˚ with 3 sec.
Digital regulator for bend angle
Easy change to accessories

Specifications
Bending ability : Max O.D 28x1.5t
Power Supply : 220V 50/60Hz
Weight : 15 Kg

EZY-Bender MB42

Applications

Features

Wide bending radius
Programmable bend angle
Easy movable by wheels

Specifications

bending ability : Max O.D 42x3.5t
Power Supply : 220V 50/60Hz
Weight : 23 Kg

EZY-MAT Ⅱ Pre-Assembly & Flaring Machine

Applications

Features

Pre-Assembly of Hy-Lok tube fittings and Bite type fittings
Flaring of 37° SAE J514 flared fitting
Easy & quick assembly

Specifications

Assembly ability : Max O.D 2 in.(25 mm)
Hand pump : 10000 psig (700barg), 2speed
Weight : 6 Kg

EZY-MAT Ⅰ Pre-Assembly Machine

Applications

Features

Pre-Assembly of Hy-Lok tube fittings and Bite type fittings
Reliable ferrule pre-sets to tubing
Safe and reproducible assembly

Specifications

Assembly ability : Max O.D 1 in.(25 mm)
Hand pump : 10000 psi (700 barg), 2 speed
Weight : 6 Kg

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

сайт: www.fitlok.nt-rt.ru || почта: hky@nt-rt.ru